



Geo Washplane® Marblo®

Available finishes

Bright white Marblo®

Assembly

Washplane® assembly includes;

- Stainless steel cantilever brackets
- Zinc pated steel mounting frame
- Stainless steel tray
- Stainless steel removable drainer
- Stainless steel fascia
- Stainless steel location saddles

Cleaning

Marblo® - Clean with a mild detergent and a soft cloth. For more stubborn marks a very mild abrasive cleaner can be used with a soft cloth, over the entire surface in wide circular motions. Finish by cleaning off detergents with a soft wet cloth and towel dry.

Recommended fittings and set-up

Ulisse 5* 32 x 200 mm wall outlet

Ulisse 5* 25 X 200 mm wall outlet

Please note - use a 200 mm wall outlet that uses 5-7 litres per minute. The water must fall at a 90 degree angle, directly down onto the Washplane®. A cavity wall is needed to house the hardware and plumbing.

Important



This is not an installation guide.

Please contact OMVIVO for technical details.

Product specifications are subject to alteration without notice.

©OMVIVO Pty Ltd. 1997.

Assembly




design Joseph Licciardi



Om vivo Pty Ltd Schiavello Complex T: + 61 3 9339 8130
1 Sharps Road Tullamarine F: + 61 3 9330 8611
Victoria Australia 3043 info@omvivo.com

www.omvivo.com

Note: due to varying manufacturing methods, the dimensions illustrated here are nominal and subject to change. Omvivo has detailed, to the best of its ability, the most approximate measurement possible for each product given the method of manufacturing used.



Geo Washplane® Marblo® Double and Triple

Available finishes

Bright white Marblo®

Assembly

Washplane® assembly includes;

- Stainless steel cantilever brackets
- Zinc plated steel mounting frame
- Stainless steel tray
- Stainless steel removable drainer
- Stainless steel fascia
- Stainless steel location saddles

Cleaning

Marblo® - Clean with a mild detergent and a soft cloth. For more stubborn marks a very mild abrasive cleaner can be used with a soft cloth, over the entire surface in wide circular motions. Finish by cleaning off detergents with a soft wet cloth and towel dry.

Recommended fittings and set-up

Ulisse 5* 32 x 200 mm wall outlet

Ulisse 5* 25 X 200 mm wall outlet

Please note - use a 200 mm wall outlet that uses 5-7 litres per minute. The water must fall at a 90 degree angle, directly down onto the Washplane®. A cavity wall is needed to house the hardware and plumbing.

Important



This is not an installation guide.

Please contact OMVIVO for technical details.

Product specifications are subject to alteration without notice.

©OMVIVO Pty Ltd. 1997.

Assembly



design Joseph Licciardi



Omviso Pty Ltd Schiavello Complex T: + 61 3 9339 8130
 1 Sharps Road Tullamarine F: + 61 3 9330 8611
 Victoria Australia 3043 info@omvivo.com

www.omvivo.com

Note: due to varying manufacturing methods, the dimensions illustrated here are nominal and subject to change. Omvivo has detailed, to the best of its ability, the most approximate measurement possible for each product given the method of manufacturing used.